ne of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
KSRRB M200-11 I Clearing and grubbing road land including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth up to 300 mm, removalof stumps of trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, including removal and disposal of top organic soil not exceeding 150 mm in thickness complete as per specifications II By Mechanical Means B In area of thorny jungle (P No-137,I No-18.16)						
Burial Ground						
Shettyhalli Burial Ground	1	(146+120)/2	(60+46)/2		7049.00	
Deduction for Voids					-2114.70	
					4934.30	
				Present Qty	**0.49**	**Sqm**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

ne of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
KSRB 2-1 : Earthwork in surface excavation for levelling and lowering the ground manually (Other than foundation of buildings, culverts, road drains and trenches of pipe lines and cables) and removing the excavated stuff to a distance not exceeding 50m and lift up to 1.5m, excavated surface levelled and neatly dressed, disposed earth to be levelled including breaking of clods and neatly dressed as per specifications. KSRB 2-1.1: – do – Ordinary soil P NO-6, I NO-2.1						
Burial Ground						
Qty as per Volume Sheet					10965.36	
				Present Qty	**10965.36**	**Cum**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

me of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
KSRB 2-2 : Earthwork excavation by manual means for foundation of buildings, water supply and sanitary lines and electrical conduits etc, either in pits or in trenches 1.5m and above in width, in soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. including breaking of clods complete as per specifications. (P.No-5,I No-2.3)						
Burial Ground						
Compound Wall FromMain Road Gate	1	2.95	1.10	1.20	3.89	
	1	2.50	1.10	1.20	3.30	
	1	2.45	1.10	1.20	3.23	
	1	2.53	1.10	1.20	3.34	
	1	2.50	1.10	1.20	3.30	
	1	2.55	1.10	1.20	3.37	
	1	2.50	1.10	1.20	3.30	
	1	2.52	1.10	1.20	3.33	
	1	2.50	1.10	1.20	3.30	
	1	2.53	1.10	1.20	3.34	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.53	1.10	1.20	3.34	
	1	2.53	1.10	1.20	3.34	
	1	2.53	1.10	1.20	3.34	
	1	2.63	1.10	1.20	3.47	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.53	1.10	1.20	3.34	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.55	1.10	1.20	3.37	
	1	3.90	1.10	1.20	5.15	
South Gate						
	1	2.50	1.10	1.20	3.30	
	1	2.53	1.10	1.20	3.34	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.45	1.10	1.20	3.23	

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
	1	2.47	1.10	1.20	3.26	
	1	2.53	1.10	1.20	3.34	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.53	1.10	1.20	3.34	
	1	2.46	1.10	1.20	3.25	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.50	1.10	1.20	3.30	
	1	2.46	1.10	1.20	3.25	
	1	2.53	1.10	1.20	3.34	
	1	2.55	1.10	1.20	3.37	
For Coloumns	44	0.45	1.10	1.20	26.14	
Security Room	2	2.82	1.10	1.20	7.44	
	1	3.70	1.10	1.20	4.88	
Gazebo	1	17.20	1.10	1.00	18.92	
Gazebo Platform	2	2.45	1.10	1.00	5.39	
Pipe Line	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	10.00	0.60	0.90	5.40	
	1	12.00	0.60	0.90	6.48	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	14.00	0.60	0.90	7.56	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	30.00	0.60	0.90	16.20	
	1	20.00	0.60	0.90	10.80	
	1	25.00	0.60	0.90	13.50	
	1	11.00	0.60	0.90	5.94	
ntrance Arch Footing	2	1.80	1.80	1.50	9.72	
				Present Qty	**445.23**	**Cum**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
KSRB 2.8 : Providing and Filling in foundation with granite / trap broken metal 100mm. and down size, with approved sand including hand packing, ramming, watering, including cost of all materials and labour with all lead and lift. complete as per specifications. specification. (P.No-6,I No-2.15)						
Burial Ground						
Compound Wall FromMain Road Gate	1	2.95	1.10	0.25	0.81	
	1	2.50	1.10	0.25	0.69	
	1	2.45	1.10	0.25	0.67	
	1	2.53	1.10	0.25	0.70	
	1	2.50	1.10	0.25	0.69	
	1	2.55	1.10	0.25	0.70	
	1	2.50	1.10	0.25	0.69	
	1	2.52	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.53	1.10	0.25	0.70	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.53	1.10	0.25	0.70	
	1	2.53	1.10	0.25	0.70	
	1	2.53	1.10	0.25	0.70	
	1	2.63	1.10	0.25	0.72	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.53	1.10	0.25	0.70	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.55	1.10	0.25	0.70	
	1	3.90	1.10	0.25	1.07	
South Gate						
	1	2.50	1.10	0.25	0.69	
	1	2.53	1.10	0.25	0.70	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.50	1.10	0.25	0.69	
	1	2.45	1.10	0.25	0.67	
	1	2.47	1.10	0.25	0.68	



Assistant Engineer
Project Division Devarahalli
Bidadi Bangalore

Asst Executive Engineer
Project division Devarahalli
Bidadi Bangalore

ne of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Avg Breadth	Depth	Qty	Unit
KSRB 2-4 : Refilling available earth around pipe lines, cables in layers not exceeding 20cms in depth, compacting each deposited layer by ramming after watering with lead upto 50m. and lift upto 1.5 m. including cost of all labour complete as per specifications. P NO-7, I NO-2.11						
Burial Ground						
Pipe Line	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	10.00	0.60	0.60	3.60	
	1	12.00	0.60	0.60	4.32	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	14.00	0.60	0.60	5.04	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	30.00	0.60	0.60	10.80	
	1	20.00	0.60	0.60	7.20	
	1	25.00	0.60	0.60	9.00	
	1	11.00	0.60	0.60	3.96	
azebo Platform	1	1.45	0.56	0.50	0.41	
				Present Qty	**152.33**	**Cum**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Item No	Discription of Item	No	Length	Breadth	Avg Depth	Qty	Unit
7	KSRB 4-1.2 : Providing and laying in position plain cement concrete of mix 1:3:6 with OPC cement @ 220kgs, with 40mm and down size graded granite metal coarse aggregates @0.892cum and fine aggregates @ 0.465cum machine mixed, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation including cost of all materials, labour, HOM of machinery, curing complete as per specifications. Specification No. KBS 4.1, 4.2. (P.No. 12/I.No. 4.2 of CSR 2016-17)						
	Burial Ground						
	Compound Wall FromMain Road Gate	1	2.95	1.10	0.15	0.49	
		1	2.50	1.10	0.15	0.41	
		1	2.45	1.10	0.15	0.40	
		1	2.53	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.55	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.52	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.53	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.53	1.10	0.15	0.42	
		1	2.53	1.10	0.15	0.42	
		1	2.53	1.10	0.15	0.42	
		1	2.63	1.10	0.15	0.43	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.53	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.55	1.10	0.15	0.42	
		1	3.90	1.10	0.15	0.64	
	South Gate						
		1	2.50	1.10	0.15	0.41	
		1	2.53	1.10	0.15	0.42	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.50	1.10	0.15	0.41	
		1	2.45	1.10	0.15	0.40	

Discription of Item	No	Length	Breadth	Avg Depth	Qty	Unit
	1	2.47	1.10	0.15	0.41	
	1	2.53	1.10	0.15	0.42	
	1	2.50	1.10	0.15	0.41	
	1	2.50	1.10	0.15	0.41	
	1	2.53	1.10	0.15	0.42	
	1	2.46	1.10	0.15	0.41	
	1	2.50	1.10	0.15	0.41	
	1	2.50	1.10	0.15	0.41	
	1	2.50	1.10	0.15	0.41	
	1	2.46	1.10	0.15	0.41	
	1	2.53	1.10	0.15	0.42	
	1	2.55	1.10	0.15	0.42	
Coloumns	44	0.45	1.10	0.15	3.27	
urity Room	2	2.82	1.10	0.15	0.93	
	1	3.70	1.10	0.15	0.61	
ebo	1	17.20	1.10	0.15	2.84	
ebo Platform	2	2.45	1.10	0.15	0.81	
ance Arch Footing	2	1.80	1.80	0.15	0.97	
urity Room Flooring	1	3.70	2.80	0.15	1.55	
ebo Flooring	1	5.20	5.20	0.15	4.06	
ebo Platform	1	1.89	0.56	0.15	0.16	
				Present Qty	**33.30**	**Cum**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

me of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Breadth	Depth	Qty	Unit
KSRB 5.2-3 : Providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1:6, stone hammerd dressed in courses not less than 20 cms high, bond stones at two m. apart in each course including cost of materials, labour, curing complete as per specifications.(P.No-23,I No-5.6)						
Burial Ground						
1st Step						
Compound Wall FromMain Road Gate	1	2.95	0.60	0.90	1.59	
	1	2.50	0.60	0.90	1.35	
	1	2.45	0.60	0.90	1.32	
	1	2.53	0.60	0.90	1.37	
	1	2.50	0.60	0.90	1.35	
	1	2.55	0.60	0.90	1.38	
	1	2.50	0.60	0.90	1.35	
	1	2.52	0.60	0.90	1.36	
	1	2.50	0.60	0.90	1.35	
	1	2.53	0.60	0.90	1.37	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.53	0.60	0.90	1.37	
	1	2.53	0.60	0.90	1.37	
	1	2.53	0.60	0.90	1.37	
	1	2.63	0.60	0.90	1.42	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.53	0.60	0.90	1.37	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.55	0.60	0.90	1.38	
	1	3.90	0.60	0.90	2.11	
South Gate						
	1	2.50	0.60	0.90	1.35	
	1	2.53	0.60	0.90	1.37	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.45	0.60	0.90	1.32	
	1	2.47	0.60	0.90	1.33	

Description of Item	No	Length	Breadth	Depth	Qty	Unit
	1	2.53	0.60	0.90	1.37	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.53	0.60	0.90	1.37	
	1	2.46	0.60	0.90	1.33	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.50	0.60	0.90	1.35	
	1	2.46	0.60	0.90	1.33	
	1	2.53	0.60	0.90	1.37	
	1	2.55	0.60	0.90	1.38	
For Coloumns	44	0.45	0.75	0.90	13.37	
Security Room	2	2.82	0.60	0.90	3.05	
	1	3.70	0.60	0.90	2.00	
2nd Step						
Compound Wall FromMain Road Gate	1	2.95	0.45	0.60	0.80	
	1	2.50	0.45	0.60	0.68	
	1	2.45	0.45	0.60	0.66	
	1	2.53	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.55	0.45	0.60	0.69	
	1	2.50	0.45	0.60	0.68	
	1	2.52	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.63	0.45	0.60	0.71	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.55	0.45	0.60	0.68	
uth Gate	1	3.90	0.45	0.60	0.69	
	1	2.50	0.45	0.60	1.05	
					0.68	

Discription of Item	No	Length	Breadth	Depth	Qty	Unit
	1	2.53	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.45	0.45	0.60	0.66	
	1	2.47	0.45	0.60	0.67	
	1	2.53	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.53	0.45	0.60	0.68	
	1	2.46	0.45	0.60	0.66	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.50	0.45	0.60	0.68	
	1	2.46	0.45	0.60	0.66	
	1	2.53	0.45	0.60	0.68	
	1	2.55	0.45	0.60	0.69	
For Coloumns	44	0.45	0.60	0.60	7.13	
Security Room	2	2.82	0.45	0.60	1.52	
	1	3.70	0.45	0.60	1.00	
Gazebo	1	17.20	0.45	0.60	4.64	
Gazebo Platform	2	2.45	0.45	0.60	1.32	
				Present Qty	**122.91**	**Cum**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

ne of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category

Discription of Item	No	Length	Breadth	Depth	Qty	Unit
KSRB 15.1.3 – do – Providing ruled pointing to coursed stone masonry with cement mortar 1:3, 20mm deep, after raking joints to depth of 20mm nicely lining, including cost of materials, labour, curing complete as per specifications.(P.No-113,I No-15.3)						
Burial Ground SSM Wall for Foundation						
Compound Wall FromMain Road Gate	1	2.95		0.60	1.77	
	1	2.50		0.60	1.50	
	1	2.45		0.60	1.47	
	1	2.53		0.60	1.52	
	1	2.50		0.60	1.50	
	1	2.55		0.60	1.53	
	1	2.50		0.60	1.50	
	1	2.52		0.60	1.51	
	1	2.50		0.60	1.50	
	1	2.53		0.60	1.52	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.53		0.60	1.52	
	1	2.53		0.60	1.52	
	1	2.53		0.60	1.52	
	1	2.63		0.60	1.58	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.53		0.60	1.52	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.55		0.60	1.53	
	1	3.90		0.60	2.34	
outh Gate						
	1	2.50		0.60	1.50	
	1	2.53		0.60	1.52	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.50		0.60	1.50	
	1	2.45		0.60	1.47	
	1	2.47		0.60	1.48	
	1	2.53		0.60	1.52	
	1	2.50		0.60	1.50	

Discription of Item	No	Length	Breadth	Depth	Qty	Unit
	1	2 50		0 60	1 50	
	1	2 53		0 60	1 52	
	1	2 46		0 60	1 48	
	1	2 50		0 60	1 50	
	1	2 50		0 60	1 50	
	1	2 50		0 60	1 50	
	1	2 46		0 60	1 48	
	1	2 53		0 60	1 52	
	1	2 55		0 60	1 53	
or Colourms	44	0 45		0 60	11 88	
ecurity Room	2	2 82		0 60	3 38	
azebo	1	3 70		0 60	2 22	
azebo Platform	1	17 20		0 60	10 32	
	2	2 45		0 60	2 94	
				Present Qty	**96.59**	**Sqm**

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore